

Concord
by SYLVANIA Group

**I see your true
colors shining
through**

CONCORD BEACON®



sylvania-group.com

Digital | Lighting | Solutions



Bringing colours to life since 1968

Introducing Concord's new Beacon: Elevating art with true colour precision

Concord's new Beacon series redefines art illumination by bringing out the true colours of every masterpiece. Equipped with the CRI97-98 feature, this advanced lighting solution ensures that every hue, tone and detail is displayed with unparalleled accuracy, revealing the artwork's authentic vibrancy and depth. Ideal for galleries, museums, and art collectors, the Beacon's precision lighting enhances the visual impact of any piece, allowing art to be seen exactly as the artist intended. With its sleek design and cutting-edge technology, Concord's new Beacon doesn't just light up art – it brings it to life in its truest form.

With its precision lighting and advanced technology, the Beacon series allows art to shine in its most authentic light. It's a perfect blend of form and function, making art more vivid and captivating than ever before.



"The Beacon was designed with a commitment to simplicity and minimalism. By eliminating the visible driver box and incorporating an invisible adaptor, the design achieves a sleek, uninterrupted look. This approach not only enhances the aesthetic appeal but also ensures the fixture integrates seamlessly into any space, combining elegant form with exceptional functionality and technology."

Duygu Ergin, Product Line Manager

A legacy of design innovation

Concord Lighting has been a beacon of innovation and craftsmanship in the lighting industry. With a legacy of blending timeless elegance with cutting-edge technology, the Sylvania Group has set the standard for high-quality, visually stunning lighting solutions. Iconic products showcase the dedication to excellence and design evolution – merging heritage with the latest advancements to deliver exceptional performance and sophistication.

Beacon: A milestone in Concord's design legacy

The Beacon series stands as a pivotal achievement in Concord's design history. Originally launched as a low-voltage track spot with interchangeable accessories like colour filters and cross-grille louvres, it introduced a simple yet striking geometric form, combining a block and a cylinder with an extruded aluminum alloy gearbox. Through many design iterations, the Concord Beacon has evolved into an iconic lighting solution, seamlessly blending its rich heritage with modern precision. Today, it continues to exemplify the perfect fusion of timeless craftsmanship and cutting-edge technology.

We brighten her home. We could make you smile too.


Museum pieces


On the left is a short list of museums currently lit by Concord Rotaflex. Museums can be tricky. They want everyone to see their pictures in the right light. Which is why all these museums chose our lighting to help you see the pictures as they are. We can do the same for you. No matter where.

Concord Rotaflex

ROTAFLEX GREAT BRITAIN LTD, BRISTOL AVENUE, CITY ROAD, LONDON EC1Y 1JH. TELEPHONE 01-403 8011

The Concord Beacon range: In museums since 1986

1968	1969	1970	1975	1986	1988	1993	1996
							
Concord Lighting Rotaflex launches Concord Lighting as its own lighting company.	Powerflood	Quartet Minor, Major & Eurospot	Lytesphere Neatly packages the PAR38 mains halogen reflector lamp inside a spun spherical housing.	First Beacon Launched as a low voltage track spot with a simple geometric form – and an aluminium alloy gearbox.	Torch 50 & 75	Control Spot	Torus 100 Designed by Rob Stuart, Red Dot Awarded: featuring on-board dimming, making it popular in the museum sector.




Nearly 60 years of experience: Iconic design meets state-of-the-art technology



Extensive expertise in track lighting





Shine
bright like
a diamond

BRILLIANT COLOURS WITH CRI 97+

Light and preserve your masterpieces with the brilliance they deserve

TRUE COLOURS WITH CRI 97+

The Colour Rendering Index (CRI) provides an indication of a light source's rendering ability, with a CRI of 100 being the best corresponding to sunlight rendering colours. The aim is to make objects appear as natural as possible when lit. LEDs traditionally create white light by combining blue light with a yellow phosphor, making them better at lighting blues than reds in the colour spectrum. This can result in washed-out reds and skin-tones, reducing visual impact and visitors' viewing experience. To avoid this, LEDs with a CRI of >90 are best for galleries and museums, ensuring punchy, vibrant reds.



IR AND UV: HARMFUL EFFECTS OF LIGHT

Light is a common cause of damage to library and archival collections, particularly paper, bindings, and media such as inks, photographic emulsions, dyes and pigments, which are highly sensitive to light. LED technology featured in the new Beacon is ideal for sensitive environments such as galleries and museums because it does not emit IR and UV light, which can cause damage.



Prolonged exposure
to LED light

Prolonged exposure
to IR and UV light



A versatile range – designed with museums in mind

NEW CONCORD BEACON

Award-winning Concord Beacon lighting solutions, featured in museums, galleries, and churches across Europe, blend innovative design with high performance.

Manufactured in-house at Sylvania's state-of-the-art Erlangen facility (Germany) by leading lighting designers, each product reflects the commitment to quality. The Beacon portfolio is extensive and, thanks to in-house manufacturing capabilities, products can be customised to meet a wide range of project specifications.

-
- + True colours with CRI>97/98
 - + Fixed and adjustable beam (Muse) versions
 - + On-Board dimming, DALI and SylSmart Standalone versions
 - + 2700K, 3000K, 4000K and Tunable White (Muse Tune) versions
 - + Minimalist design without driver box
 - + Safe LED light source without IR and UV
 - + Track and surface versions
-



CONCORD BEACON MUSE AT GAINSBOROUGH'S HOUSE

"We have used the Concord Beacon Muse spotlights successfully for quite some time. The high-quality light and excellent colour rendering are unmatched to reveal the works of art, the architecture and create the perfect ambience we were aiming for within the constraints of the space and the light levels. The Beacon Muse spotlights also handle incredibly well with a variable degree angle, allowing us to alter the beam, which is a brilliant solution for the client to move and change the lighting for exhibitions."

**Julie O'Reilly, Creative Director at
Independent lighting design consultancy
Sutton Vane Associates**

New tilt-locking
mechanism

Lasered
Concord logo

Silicone ring
with beam angle
indications



New pan-locking
mechanism

Redesigned back airslots

On-board dimming
knob

Redesigned side airslots
with internal louvre




Specialist lighting that is tailored to your needs

Concord Beacon	Concord Beacon Muse	Concord Beacon Muse Tune
3 fixed beam angles: narrow, medium & wide 3 fixed colour temperatures: 2700K, 3000K, 4000K	ADJUSTABLE BEAM ANGLE Adjustable beam angle: 8° – 55° 3 fixed colour temperatures: 2700K, 3000K, 4000K	TUNABLE WHITE Adjustable beam angle: 10° – 50° CCT selection from warm to cold white: 2700K – 6500K




CONCORD BEACON

Designed to meet diverse lighting needs: Concord Beacon – featuring a narrow, medium or wide beam. The narrow beam is ideal for accentuating specific details or creating focused highlights on artwork. The medium beam provides balanced illumination, perfect for lighting individual pieces or small displays with precision. The wide beam offers broader coverage, making it suitable for illuminating larger areas or entire gallery walls. With these options, you can tailor the lighting to suit any space, ensuring that every detail is showcased exactly as intended.



CONCORD BEACON MUSE

Concord Beacon Muse not only has a beautiful, stylish and compact design – it features a rubber front ring for a fully adjustable beam angle: providing the ultimate flexibility in lighting design. This feature allows you to switch seamlessly between narrow, medium, and wide beam angles, from 8° to 55°, to suit a variety of settings and requirements.








CONCORD BEACON MUSE TUNE

Fine-tune your lighting with adjustable colour temperature and elevate your lighting experience with the Beacon's adjustable colour temperature feature. From a warm glow to the crisp, cool light of daylight, Beacon Muse Tune lets you customise your lighting to create the perfect ambience for any setting by adjusting the colour temperature from 2700 to 6500K.

As part of the Beacon Muse range, Concord Beacon Muse Tune has a fully adjustable beam angle on board from 10° to 50°, thanks to the integrated rubber front ring – for flexible lighting possibilities.



10° – 50°



Maximum flexibility

ACCESSORIES



Elongation Lens



Softener Lens



Honeycomb Filter



Snoot



Barn Doors

TRACKS



OneTrack



OneTrack Recessed



Lytespan Trimless Recessed



Lytespan Round Track



Lytespan H-Track

SylSmart Standalone

Discover the perfect lighting companion for museums – with the Sylvania SylSmart standalone solution. Engineered to enhance exhibits while conserving energy, SylSmart Standalone offers advanced, user-friendly lighting controls without the need for complex wiring or centralised systems.



Minimum installation




Secure



Maximum control



Intuitive App



Item list

CONCORD BEACON MUSE



Track mounted



Muse

Item Code	Description	Fixture Colour [RAL]	CCT [K]	Control [DIM]	Fixture lumen (lm)	Power consumption (W)	Beam Angle (°)
2062559	CONCORD BEACON MUSE 2700K O/B DIM WHITE	9016	2,700	1 - 10V	940	18	8 - 55
2062560	CONCORD BEACON MUSE 3000K O/B DIM WHITE	9016	3,000	1 - 10V	980	18	8 - 55
2062561	CONCORD BEACON MUSE 4000K O/B DIM WHITE	9016	4,000	1 - 10V	1100	18	8 - 55
2062562	CONCORD BEACON MUSE 2700K O/B DIM BLACK	9005	2,700	1 - 10V	940	18	8 - 55
2062563	CONCORD BEACON MUSE 3000K O/B DIM BLACK	9005	3,000	1 - 10V	980	18	8 - 55
2062564	CONCORD BEACON MUSE 4000K O/B DIM BLACK	9005	4,000	1 - 10V	1100	18	8 - 55
2062571	CONCORD BEACON MUSE 2700K SSC WHITE	9016	2,700	SSC	940	18	8 - 55
2062572	CONCORD BEACON MUSE 3000K SSC WHITE	9016	3,000	SSC	980	18	8 - 55
2062573	CONCORD BEACON MUSE 4000K SSC WHITE	9016	4,000	SSC	1100	18	8 - 55
2062574	CONCORD BEACON MUSE 2700K SSC BLACK	9005	2,700	SSC	940	18	8 - 55
2062575	CONCORD BEACON MUSE 3000K SSC BLACK	9005	3,000	SSC	980	18	8 - 55
2062576	CONCORD BEACON MUSE 4000K SSC BLACK	9005	4,000	SSC	1100	18	8 - 55
2062583	CONCORD BEACON MUSE 2700K DALI WHITE	9016	2,700	DALI	940	18	8 - 55
2062584	CONCORD BEACON MUSE 3000K DALI WHITE	9016	3,000	DALI	980	18	8 - 55
2062585	CONCORD BEACON MUSE 4000K DALI WHITE	9016	4,000	DALI	1100	18	8 - 55
2062586	CONCORD BEACON MUSE 2700K DALI BLACK	9005	2,700	DALI	940	18	8 - 55
2062587	CONCORD BEACON MUSE 3000K DALI BLACK	9005	3,000	DALI	980	18	8 - 55
2062588	CONCORD BEACON MUSE 4000K DALI BLACK	9005	4,000	DALI	1100	18	8 - 55



Surface mounted



Muse

2062565	CONCORD BEACON MUSE 2700K SM O/B DIM WHITE	9016	2700	1 - 10V	940	18	8 - 55
2062566	CONCORD BEACON MUSE 3000K SM O/B DIM WHITE	9016	3000	1 - 10V	980	18	8 - 55
2062567	CONCORD BEACON MUSE 4000K SM O/B DIM WHITE	9016	4000	1 - 10V	1100	18	8 - 55
2062568	CONCORD BEACON MUSE 2700K SM O/B DIM BLACK	9005	2700	1 - 10V	940	18	8 - 55
2062569	CONCORD BEACON MUSE 3000K SM O/B DIM BLACK	9005	3000	1 - 10V	980	18	8 - 55
2062570	CONCORD BEACON MUSE 4000K SM O/B DIM BLACK	9005	4000	1 - 10V	1100	18	8 - 55
2062577	CONCORD BEACON MUSE 2700K SM SSC WHITE	9016	2700	SSC	940	18	8 - 55
2062578	CONCORD BEACON MUSE 3000K SM SSC WHITE	9016	3000	SSC	980	18	8 - 55
2062579	CONCORD BEACON MUSE 4000K SM SSC WHITE	9016	4000	SSC	1100	18	8 - 55
2062580	CONCORD BEACON MUSE 2700K SM SSC BLACK	9005	2700	SSC	940	18	8 - 55
2062581	CONCORD BEACON MUSE 3000K SM SSC BLACK	9005	3000	SSC	980	18	8 - 55
2062582	CONCORD BEACON MUSE 4000K SM SSC BLACK	9005	4000	SSC	1100	18	8 - 55
2062589	CONCORD BEACON MUSE 2700K SM DALI WHITE	9016	2700	DALI	940	18	8 - 55
2062590	CONCORD BEACON MUSE 3000K SM DALI WHITE	9016	3000	DALI	980	18	8 - 55
2062591	CONCORD BEACON MUSE 4000K SM DALI WHITE	9016	4000	DALI	1100	18	8 - 55
2062592	CONCORD BEACON MUSE 2700K SM DALI BLACK	9005	2700	DALI	940	18	8 - 55
2062593	CONCORD BEACON MUSE 3000K SM DALI BLACK	9005	3000	DALI	980	18	8 - 55
2062594	CONCORD BEACON MUSE 4000K SM DALI BLACK	9005	4000	DALI	1100	18	8 - 55

CONCORD BEACON



Track mounted



On-board dimming

Item Code	Description	Fixture Colour [RAL]	CCT [K]	Control [DIM]	Fixture lumen (lm)	Power consumption (W)	Beam Angle (°)
2062451	CONCORD BEACON 2700K NARROW O/B DIM WHITE	9016	2,700	1 - 10V	1575	18	19
2062452	CONCORD BEACON 3000K NARROW O/B DIM WHITE	9016	3,000	1 - 10V	1850	18	19
2062453	CONCORD BEACON 4000K NARROW O/B DIM WHITE	9016	4,000	1 - 10V	1900	18	19
2062454	CONCORD BEACON 2700K MEDIUM O/B DIM WHITE	9016	2,700	1 - 10V	1325	18	36
2062455	CONCORD BEACON 3000K MEDIUM O/B DIM WHITE	9016	3,000	1 - 10V	1625	18	36
2062456	CONCORD BEACON 4000K MEDIUM O/B DIM WHITE	9016	4,000	1 - 10V	1675	18	36
2062457	CONCORD BEACON 2700K WIDE O/B DIM WHITE	9016	2,700	1 - 10V	1250	18	55
2062458	CONCORD BEACON 3000K WIDE O/B DIM WHITE	9016	3,000	1 - 10V	1525	18	55
2062459	CONCORD BEACON 4000K WIDE O/B DIM WHITE	9016	4,000	1 - 10V	1600	18	55
2062460	CONCORD BEACON 2700K NARROW O/B DIM BLACK	9005	2,700	1 - 10V	1575	18	19
2062461	CONCORD BEACON 3000K NARROW O/B DIM BLACK	9005	3,000	1 - 10V	1850	18	19
2062462	CONCORD BEACON 4000K NARROW O/B DIM BLACK	9005	4,000	1 - 10V	1900	18	19

CONCORD BEACON



Track mounted



On-board dimming

Item Code	Description	Fixture Colour [RAL]	CCT [K]	Control [DIM]	Fixture lumen (lm)	Power consumption (W)	Beam Angle (°)
2062463	CONCORD BEACON 2700K MEDIUM O/B DIM BLACK	9005	2,700	1 - 10V	1325	18	36
2062464	CONCORD BEACON 3000K MEDIUM O/B DIM BLACK	9005	3,000	1 - 10V	1625	18	36
2062465	CONCORD BEACON 4000K MEDIUM O/B DIM BLACK	9005	4,000	1 - 10V	1675	18	36
2062466	CONCORD BEACON 2700K WIDE O/B DIM BLACK	9005	2,700	1 - 10V	1250	18	55
2062467	CONCORD BEACON 3000K WIDE O/B DIM BLACK	9005	3,000	1 - 10V	1525	18	55
2062468	CONCORD BEACON 4000K WIDE O/B DIM BLACK	9005	4,000	1 - 10V	1600	18	55



Surface mounted



On-board dimming

2062469	CONCORD BEACON 2700K SM NARROW O/B DIM WHITE	9016	2700	1 - 10V	1575	18	19
2062470	CONCORD BEACON 3000K SM NARROW O/B DIM WHITE	9016	3000	1 - 10V	1850	18	19
2062471	CONCORD BEACON 4000K SM NARROW O/B DIM WHITE	9016	4000	1 - 10V	1900	18	19
2062472	CONCORD BEACON 2700K SM MEDIUM O/B DIM WHITE	9016	2700	1 - 10V	1325	18	36
2062473	CONCORD BEACON 3000K SM MEDIUM O/B DIM WHITE	9016	3000	1 - 10V	1625	18	36
2062474	CONCORD BEACON 4000K SM MEDIUM O/B DIM WHITE	9016	4000	1 - 10V	1675	18	36
2062475	CONCORD BEACON 2700K SM WIDE O/B DIM WHITE	9016	2700	1 - 10V	1250	18	55
2062476	CONCORD BEACON 3000K SM WIDE O/B DIM WHITE	9016	3000	1 - 10V	1525	18	55
2062477	CONCORD BEACON 4000K SM WIDE O/B DIM WHITE	9016	4000	1 - 10V	1600	18	55
2062478	CONCORD BEACON 2700K SM NARROW O/B DIM BLACK	9005	2700	1 - 10V	1575	18	19
2062479	CONCORD BEACON 3000K SM NARROW O/B DIM BLACK	9005	3000	1 - 10V	1850	18	19
2062480	CONCORD BEACON 4000K SM NARROW O/B DIM BLACK	9005	4000	1 - 10V	1900	18	19
2062481	CONCORD BEACON 2700K SM MEDIUM O/B DIM BLACK	9005	2700	1 - 10V	1325	18	36
2062482	CONCORD BEACON 3000K SM MEDIUM O/B DIM BLACK	9005	3000	1 - 10V	1625	18	36
2062483	CONCORD BEACON 4000K SM MEDIUM O/B DIM BLACK	9005	4000	1 - 10V	1675	18	36
2062484	CONCORD BEACON 2700K SM WIDE O/B DIM BLACK	9005	2700	1 - 10V	1250	18	55
2062485	CONCORD BEACON 3000K SM WIDE O/B DIM BLACK	9005	3000	1 - 10V	1525	18	55
2062486	CONCORD BEACON 4000K SM WIDE O/B DIM BLACK	9005	4000	1 - 10V	1600	18	55



Track mounted



SylSmart Standalone

2062487	CONCORD BEACON 2700K NARROW SSC WHITE	9016	2,700	SSC	1575	18	19
2062488	CONCORD BEACON 3000K NARROW SSC WHITE	9016	3,000	SSC	1850	18	19
2062489	CONCORD BEACON 4000K NARROW SSC WHITE	9016	4,000	SSC	1900	18	19
2062490	CONCORD BEACON 2700K MEDIUM SSC WHITE	9016	2,700	SSC	1325	18	36
2062491	CONCORD BEACON 3000K MEDIUM SSC WHITE	9016	3,000	SSC	1625	18	36
2062492	CONCORD BEACON 4000K MEDIUM SSC WHITE	9016	4,000	SSC	1675	18	36
2062493	CONCORD BEACON 2700K WIDE SSC WHITE	9016	2,700	SSC	1250	18	55
2062494	CONCORD BEACON 3000K WIDE SSC WHITE	9016	3,000	SSC	1525	18	55
2062495	CONCORD BEACON 4000K WIDE SSC WHITE	9016	4,000	SSC	1600	18	55
2062496	CONCORD BEACON 2700K NARROW SSC BLACK	9005	2,700	SSC	1575	18	19
2062497	CONCORD BEACON 3000K NARROW SSC BLACK	9005	3,000	SSC	1850	18	19
2062498	CONCORD BEACON 4000K NARROW SSC BLACK	9005	4,000	SSC	1900	18	19
2062499	CONCORD BEACON 2700K MEDIUM SSC BLACK	9005	2,700	SSC	1325	18	36
2062500	CONCORD BEACON 3000K MEDIUM SSC BLACK	9005	3,000	SSC	1625	18	36
2062501	CONCORD BEACON 4000K MEDIUM SSC BLACK	9005	4,000	SSC	1675	18	36
2062502	CONCORD BEACON 2700K WIDE SSC BLACK	9005	2,700	SSC	1250	18	55
2062503	CONCORD BEACON 3000K WIDE SSC BLACK	9005	3,000	SSC	1525	18	55
2062504	CONCORD BEACON 4000K WIDE SSC BLACK	9005	4,000	SSC	1600	18	55



Surface mounted



SylSmart Standalone

2062505	CONCORD BEACON 2700K SM NARROW SSC WHITE	9016	2700	SSC	1575	18	19
2062506	CONCORD BEACON 3000K SM NARROW SSC WHITE	9016	3000	SSC	1850	18	19
2062507	CONCORD BEACON 4000K SM NARROW SSC WHITE	9016	4000	SSC	1900	18	19
2062508	CONCORD BEACON 2700K SM MEDIUM SSC WHITE	9016	2700	SSC	1325	18	36
2062509	CONCORD BEACON 3000K SM MEDIUM SSC WHITE	9016	3000	SSC	1625	18	36
2062510	CONCORD BEACON 4000K SM MEDIUM SSC WHITE	9016	4000	SSC	1675	18	36
2062511	CONCORD BEACON 2700K SM WIDE SSC WHITE	9016	2700	SSC	1250	18	55
2062512	CONCORD BEACON 3000K SM WIDE SSC WHITE	9016	3000	SSC	1525	18	55
2062513	CONCORD BEACON 4000K SM WIDE SSC WHITE	9016	4000	SSC	1600	18	55
2062514	CONCORD BEACON 2700K SM NARROW SSC BLACK	9005	2700	SSC	1575	18	19
2062515	CONCORD BEACON 3000K SM NARROW SSC BLACK	9005	3000	SSC	1850	18	19
2062516	CONCORD BEACON 4000K SM NARROW SSC BLACK	9005	4000	SSC	1900	18	19
2062517	CONCORD BEACON 2700K SM MEDIUM SSC BLACK	9005	2700	SSC	1325	18	36
2062518	CONCORD BEACON 3000K SM MEDIUM SSC BLACK	9005	3000	SSC	1625	18	36
2062519	CONCORD BEACON 4000K SM MEDIUM SSC BLACK	9005	4000	SSC	1675	18	36
2062520	CONCORD BEACON 2700K SM WIDE SSC BLACK	9005	2700	SSC	1250	18	55
2062521	CONCORD BEACON 3000K SM WIDE SSC BLACK	9005	3000	SSC	1525	18	55
2062522	CONCORD BEACON 4000K SM WIDE SSC BLACK	9005	4000	SSC	1600	18	55

CONCORD BEACON



Track mounted



DALI

Item Code	Description	Fixture Colour [RAL]	CCT [K]	Control [DIM]	Fixture lumen (lm)	Power consumption (W)	Beam Angle (°)
2062523	CONCORD BEACON 2700K NARROW DALI WHITE	9016	2,700	DALI	1575	18	19
2062524	CONCORD BEACON 3000K NARROW DALI WHITE	9016	3,000	DALI	1850	18	19
2062525	CONCORD BEACON 4000K NARROW DALI WHITE	9016	4,000	DALI	1900	18	19
2062526	CONCORD BEACON 2700K MEDIUM DALI WHITE	9016	2,700	DALI	1325	18	36
2062527	CONCORD BEACON 3000K MEDIUM DALI WHITE	9016	3,000	DALI	1625	18	36
2062528	CONCORD BEACON 4000K MEDIUM DALI WHITE	9016	4,000	DALI	1675	18	36
2062529	CONCORD BEACON 2700K WIDE DALI WHITE	9016	2,700	DALI	1250	18	55
2062530	CONCORD BEACON 3000K WIDE DALI WHITE	9016	3,000	DALI	1525	18	55
2062531	CONCORD BEACON 4000K WIDE DALI WHITE	9016	4,000	DALI	1600	18	55
2062532	CONCORD BEACON 2700K NARROW DALI BLACK	9005	2,700	DALI	1575	18	19
2062533	CONCORD BEACON 3000K NARROW DALI BLACK	9005	3,000	DALI	1850	18	19
2062534	CONCORD BEACON 4000K NARROW DALI BLACK	9005	4,000	DALI	1900	18	19
2062535	CONCORD BEACON 2700K MEDIUM DALI BLACK	9005	2,700	DALI	1325	18	36
2062536	CONCORD BEACON 3000K MEDIUM DALI BLACK	9005	3,000	DALI	1625	18	36
2062537	CONCORD BEACON 4000K MEDIUM DALI BLACK	9005	4,000	DALI	1675	18	36
2062538	CONCORD BEACON 2700K WIDE DALI BLACK	9005	2,700	DALI	1250	18	55
2062539	CONCORD BEACON 3000K WIDE DALI BLACK	9005	3,000	DALI	1525	18	55
2062540	CONCORD BEACON 4000K WIDE DALI BLACK	9005	4,000	DALI	1600	18	55



Surface mounted



DALI

2062541	CONCORD BEACON 2700K SM NARROW DALI WHITE	9016	2700	DALI	1575	18	19
2062542	CONCORD BEACON 3000K SM NARROW DALI WHITE	9016	3000	DALI	1850	18	19
2062543	CONCORD BEACON 4000K SM NARROW DALI WHITE	9016	4000	DALI	1900	18	19
2062544	CONCORD BEACON 2700K SM MEDIUM DALI WHITE	9016	2700	DALI	1325	18	36
2062545	CONCORD BEACON 3000K SM MEDIUM DALI WHITE	9016	3000	DALI	1625	18	36
2062546	CONCORD BEACON 4000K SM MEDIUM DALI WHITE	9016	4000	DALI	1675	18	36
2062547	CONCORD BEACON 2700K SM WIDE DALI WHITE	9016	2700	DALI	1250	18	55
2062548	CONCORD BEACON 3000K SM WIDE DALI WHITE	9016	3000	DALI	1525	18	55
2062549	CONCORD BEACON 4000K SM WIDE DALI WHITE	9016	4000	DALI	1600	18	55
2062550	CONCORD BEACON 2700K SM NARROW DALI BLACK	9005	2700	DALI	1575	18	19
2062551	CONCORD BEACON 3000K SM NARROW DALI BLACK	9005	3000	DALI	1850	18	19
2062552	CONCORD BEACON 4000K SM NARROW DALI BLACK	9005	4000	DALI	1900	18	19
2062553	CONCORD BEACON 2700K SM MEDIUM DALI BLACK	9005	2700	DALI	1325	18	36
2062554	CONCORD BEACON 3000K SM MEDIUM DALI BLACK	9005	3000	DALI	1625	18	36
2062555	CONCORD BEACON 4000K SM MEDIUM DALI BLACK	9005	4000	DALI	1675	18	36
2062556	CONCORD BEACON 2700K SM WIDE DALI BLACK	9005	2700	DALI	1250	18	55
2062557	CONCORD BEACON 3000K SM WIDE DALI BLACK	9005	3000	DALI	1525	18	55
2062558	CONCORD BEACON 4000K SM WIDE DALI BLACK	9005	4000	DALI	1600	18	55

CONCORD BEACON MUSE TUNE



Track mounted



Surface mounted



Muse Tune

Item Code	Description	Dimension [mm]	Fixture Colour [RAL]	Fixture [material]	Degree of protection [IP]	CCT [K]	Control [DIM]
2062907	CONCORD BEACON MUSE TUNE DALI WHITE	Ø80	9016	Aluminium	20	Tune	DALI
2062908	CONCORD BEACON MUSE TUNE DALI BLACK	Ø80	9005	Aluminium	20	Tune	DALI
2062909	CONCORD BEACON MUSE TUNE SSC WHITE	Ø80	9016	Aluminium	20	Tune	SSC
2062910	CONCORD BEACON MUSE TUNE SSC BLACK	Ø80	9005	Aluminium	20	Tune	SSC
2062911	CONCORD BEACON MUSE TUNE DALI SM WHITE	Ø80	9016	Aluminium	20	Tune	DALI
2062912	CONCORD BEACON MUSE TUNE DALI SM BLACK	Ø80	9005	Aluminium	20	Tune	DALI
2062913	CONCORD BEACON MUSE TUNE SSC SM WHITE	Ø80	9016	Aluminium	20	Tune	SSC
2062914	CONCORD BEACON MUSE TUNE SSC SM BLACK	Ø80	9005	Aluminium	20	Tune	SSC

ACCESSORIES

Item Code	Description
2058327	BEACON / BEACON MUSE II BARN DOOR
2059758	BEACON SNOOT
2059759	BEACON MUSE II SOFTENER LENS
2059760	BEACON MUSE II ELONGATION LENS
2059761	BEACON MUSE II HONEYCOMB BLACK
2059772	BEACON ELONGATION LENS
2059773	BEACON HONEYCOMB FILTER
2059774	BEACON SOFTENER LENS
2062949	BEACON FRESNEL LENS FOR NARROW BEAM

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania International Group Kft.

Copyright:
Feilo Sylvania International Group Kft.
Duna Tower, Népfürdő Street 22,
Building B, 3rd Floor
1138 Budapest, Hungary

October 2024

